

DMR Copy of Record

Permit

Permit #:
Major:

CAF001148
No

Permittee:
Permittee Address:

BETA OFFSHORE PLATFORM ELLY - CAG280000
111 West Ocean Blvd., Suite 1240
LONG BEACH, CA 90802

Facility:
Facility Location:

PLATFORM ELLY
LAT 33.583403 LO -118.127089
PACIFIC OCEAN, CA 90802

Permitted Feature:

002A
External Outfall

Discharge:

002A-A
Produced Water Monthly

Report Dates & Status

Monitoring Period:

From 08/01/16 to 08/31/16

DMR Due Date:

10/28/16

Status:

NetDMR Validated

Considerations for Form Completion

1. Produced water annual cumulative flow from March 1st thru Feb 28th each year 2. Values listed in the DMR for zinc are post dilution including the limits.

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading Qualifier 1Value 1Qualifier 2Value 2Units	Quality or Concentration Qualifier 1Value 1Qualifier 2Value 2Qualifier 3Value 3Units	# of Ex.	Frequency of Analysis	Sample Type
X 00552	Oil and grease, hexane extr method	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI		= 70833 = 86000 19 - mg/L		01/07 - Weekly	GR - GRAB
							<= 29 MO AVG <= 42 DAILY MX 19 - mg/L 1		01/07 - Weekly	GR - GRAB
82600	Produced water, flow	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI	= 197 Req Mon MO AVG	1T - bbl/d 1T - bbl/d		01/01 - Daily 01/01 - Daily	ES - ESTIMA ES - ESTIMA
82600	Produced water, flow	O - See Comments	0	--	Sample Permit Req. Value NODI	= 197 <= 10950000 YTD TOT BY - bbl/yr	BY - bbl/yr BY - bbl/yr		01/YR - Annual 01/YR - Annual	CA - CALCTD CA - CALCTD

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
00552	Oil and grease, hexane extr method	1 - Effluent Gross	Quality or Concentration Sample Value 2	Soft	The provided sample value is outside the permit limit. (Error Code: 1)	Yes
00552	Oil and grease, hexane extr method	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. (Error Code: 1)	Yes

Comments

1. Produced water annual cumulative flow is from March 1 through February 28 each year. 2. Oil and grease sampling is weekly during discharges. 3. WTCWF, Deck Draining, Domestic Waste & Fire Control Water are commingled with production & processed at Plt. Elly. 4. Refer to amended cover letter. This is an amended DMR to the one submitted in October 2016.

Attachments

Name	Type	Size
Att1BetaDMRCoverLetterJuly-Sept16amended.pdf	pdf	42950

Report Last Saved By

BETA OFFSHORE PLATFORM ELLY - CAG280000

User:

Name:

E-Mail:

Date/Time:

dlang@memorialpp.com

Diana Lang

dlang@memorialpp.com

2018-05-04 14:30 (Time Zone: -07:00)

Report Last Signed By

User:

Name:

E-Mail:

Date/Time:

dlang@memorialpp.com

Diana Lang

dlang@memorialpp.com

2018-05-04 14:31 (Time Zone: -07:00)